

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5239684".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/15 14:24
L2	1	"6104983".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/15 14:25
L3	2730	375/130,149,224,377.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/15 14:37
L4	300	375/130,149,224,377.ccls. and walsh	US-PGPUB; USPAT	OR	ON	2005/04/15 14:37
L5	40	375/130,149,224,377.ccls. and walsh and display	US-PGPUB; USPAT	OR	ON	2005/04/15 14:37
L6	470	375/130,149,224,377.ccls. and display	US-PGPUB; USPAT	OR	ON	2005/04/15 14:38
L7	167	375/130,149,224,377.ccls. and display with device	US-PGPUB; USPAT	OR	ON	2005/04/15 14:41
L8	227	455/423,424,425.ccls. and display with device	US-PGPUB; USPAT	OR	ON	2005/04/15 14:42
L9	1496	345/98,100,440.1.ccls. and display with device	US-PGPUB; USPAT	OR	ON	2005/04/15 14:43
L10	59	345/98,100,440.1.ccls. and display with device and walsh	US-PGPUB; USPAT	OR	ON	2005/04/15 14:43
S1	1	"01118749"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/30 10:09
S2	2	"1118749"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/30 10:10
S3	707	"8749"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/30 10:10
S4	68	"118749"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/30 10:20
S5	1	"5239684".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/30 10:38
S6	65	display with walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 08:58
S7	0	display same walsh same channel same calcula\$4 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 10:44
S8	7	display same walsh same channel and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 10:55

S9	0	display same different same spreading same code same length and walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 10:55
S10	9	display and different same spreading same code same length and walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 10:57
S11	1	"6104983".pn. and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 10:58
S12	1	"5239684".pn. and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 11:13
S13	663	advantest adj corp and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 11:13
S14	663	advantest adj corp and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/30 11:13
S15	3820	370/203,209,252,332,333,335, 342,441,479,252.ccls. and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 08:59
S16	374	370/203,209,252,332,333,335, 342,441,479,252.ccls. and walsh and CDMA and power and length and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:00
S17	25	370/203,209,252,332,333,335, 342,441,479,252.ccls. and walsh and CDMA and power and length and display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:49
S18	0	370/203,209,252,332,333,335, 342,441,479,252.ccls. and walsh and code with domain with power with display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:13
S19	0	"370"/\$.ccls. and walsh and code with domain with power with display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:13
S20	0	walsh and code with domain with power with display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:13
S21	10	walsh and code with power with display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:14
S22	0	walsh with function with display\$3 with channel and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:15

S23	46	walsh with function with display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 10:22
S24	0	walsh with function with PICH with DCCH and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:17
S25	0	walsh adj function same PICH same DCCH and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:17
S26	1	walsh adj function same PICH and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:32
S27	0	"20040022183" and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:33
S28	1	"20040022183"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:33
S29	2	"6519227"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 09:33
S30	3	("5619524" "6144860" "6219340").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 11:19
S31	3	("6219340" "6320577" "6519227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 09:41
S32	659	display\$3 with code with power and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 10:22
S33	3	display\$3 with code with power with length and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 10:42
S34	13	display\$3 with power with walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 10:46
S35	16	"5239684" and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 10:44
S36	0	display\$3 with channel with walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:32
S37	8	display\$3 same channel same walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:35
S38	263	long with walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:08

S39	198	long with walsh with code and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:09
S40	181	walsh with function with channel\$6 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:09
S41	33	walsh with function with channel\$6 and display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:09
S42	1	"6519227".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 11:19
S43	11	display\$3 with channel with storage with length and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:33
S44	9	display\$3 with device with CDMA and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:42
S45	0	display\$3 and storage with means and calculation with means and CDMA and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 11:43
S46	72	display\$3 and storage with means and calculation with means and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:25
S47	0	power with analyzer with storage with means and calculation with means and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:25
S48	86	power with analyzer with memory and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:25
S49	5	power with analyzer with memory with display and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:33
S50	412	power with analyzer and display with device and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:33
S51	5	power with analyzer and display with device and Walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:34
S52	25	analyzer with quantity with channel and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:48
S53	1	analyzer with calculation with means with storage and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:49

S54	29	370/203,209,235,241,252,320,332,333,335,342,441,479,252. ccls. and walsh and CDMA and power and length and display\$3 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 12:52
S55	12	370/203,209,235,241,252,320,332,333,335,342,441,479,252. ccls. and walsh and CDMA and power and analyzer and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:26
S56	1	370/203,209,235,241,252,320,332,333,335,342,441,479,252. ccls. and code with domain with analyzer and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:27
S57	1	370/203,209,235,241,252,320,332,333,335,342,441,479,252. ccls. and code with domain with analyzer and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:27
S58	7	code with domain with analyzer and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:28
S59	0	code with analyzer with power with calculation and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:29
S60	38	code with analyzer with power and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:30
S61	3	code with analyzer with calculat\$4 with (storage or memory) and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:31
S62	4	code with analyzer with calculat\$4 with power and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:32
S63	108	code adj analyzer and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:37
S64	25	code adj analyzer same memory and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:33
S65	0	code adj analyzer same memory and CDMA and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:33
S66	0	code adj analyzer and CDMA and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:34
S67	1	code adj analyzer and walsh and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:34

S68	104	code and analyzer with channel with (storage or buffer or memory) and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:41
S69	11	code and analyzer with compris\$4 with memory with calculat\$5 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:43
S70	0	spectrum adj analyzer with compris\$4 with memory with calculat\$5 and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:43
S71	162	spectrum adj analyzer with memory with (storage or memory or buffer) and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:44
S72	240	spectrum adj analyzer with (storage or memory or buffer) and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:44
S73	5	spectrum adj analyzer with (storage or memory or buffer) with calculation and @ad<="20000811"	US-PGPUB; USPAT; EPO	OR	ON	2005/04/13 13:44